

EDID Feeder  
HDMI 1.4

# VDDC-400HDMI (HDMI 1.4 In/Out)



## 4K HDMI 1.4 EDID Feeder with 4 EDID Memories (Main x 3, AUX x 1)

### ► Specifications

Model Type	VDDC-400HDMI
Input	HDMI 1.4 x 1
Output	HDMI 1.4 x 2 (Main x1, Aux x1)
HDCP Engine	Yes
Resolution (Max.)	3840 x 2160@30Hz
Status LED	x 2 Dual Color (Blue & Green)
Power Supply	5V DC (mini-USB)
Housing	Metal
Dimensions (H x W x D)	24 x 98 x 64 mm
Weight (g)	200

### ► Product Family

Model		VGA	DVI-D (Dual Link)	HDMI	DisplayPort
With Splitter	Ghost with HDCP Engine	N/A	N/A	VDDC-400HDMI (4K@30Hz)	VDDC-400DP (4K@30Hz)
Basic	Ghost	VDDC-100VGA	VDDC-200DVI	VDDC-100HDMI	N/A
2 in 1	Ghost +Emulator	VDDC-120VGA	VDDC-220DVI	VDDC-120HDMI	N/A
3 in 1	Ghost +Emulator +Writer	VDDC-130VGA	VDDC-230DVI	VDDC-130HDMI	N/A
		VDDC-1000			N/A

### ► Features

- 4K UHD HDMI EDID Feeder with Splitter Function (HDCP Engine built in)
- Allow to restore 4 customized EDID information
- Avoid computer from deactivating or inactive HDMI ports
- Copy EDID from the connecting display
- Economical, durable and dependable
- **EDID Ghost (DDC Ghost)**
- Support over 100 popular resolution

### ► Highlight Features

- Emulator maximum supports up to 4K UHD@30Hz 3840 x 2160 Resolution
- Built in EDID/HDCP Engine
- Built in Splitter Function
- Incorporate EDID and HDCP handling procedures for continuous video output
- Auto configuring EDID from the connecting display, Easy and Ready to Go

### ► Connection Pattern

EDID Source Table

1.	Auto Learn (M)	From Main Port Monitor
2.	Auto Learn (A)	From Aux Port Monitor
3.	Inventory EDID	Customized EDID x 4

